This Page Is Inserted by IFW Operations and is not a part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

IMAGES ARE BEST AVAILABLE COPY.

As rescanning documents will not correct images, please do not report the images to the Image Problem Mailbox.

THIS PAGE BLANK (USPTO)

11 Publication number:

0 220 797

A2

(2)

EUROPEAN PATENT APPLICATION

Application number: 86305780.8

(1) Int. CI.4: A61K 9/50 , B01J 13/02

- ② Date of filing: 28.07.86
- (3) Priority: 21.10.85 JP 234779/85
- ① Date of publication of application: 06.05.87 Bulletin 87/19
- Designated Contracting States:
 CH DE FR GB IT LI

DOC

- 71 Applicant: NIKKO CHEMICALS CO. LTD.
 4-8, Nihonbashi-Bakurocho, 1-chome
 Chuo-Ku Tokyo(JP)
 Applicant: NIHON SURFACTANT KOGYO K.K.
 24-3, Hasune 3-chome
 Itabashi-ku Tokyo(JP)
- Inventor: Matumoto, Koichi c/o Nikko
 Chemicals Co. Ltd.
 4-8, Nihonbashi-Bakurocho, 1-chome
 Chuo-ku Tokyo(JP)
 Inventor: Shinozaki, Kazuhiko
 Nihon Surfactant Kogyo K.K. 24-3, Hasune
 3-chome
 Itabashi-ku Tokyo(JP)
 Inventor: Tabata, Yujin
 Nihon Surfactant Kogyo K.K. 24-3, Hasune
 3-chome
 Itabashi-ku Tokyo(JP)
- Representative: Taylor, Phillip Kenneth et al W.P. THOMPSON & CO. Coopers Building Church Street
 Liverpool L1 3AB(GB)
- Process for the preparation of liposome.
- A process for the preparation of a liposome which comprises mixing water with both a phospholipid and a hydrophilic nonionic surfactant. The water is preferably concurrently mixed with both the surfactant and the phospholipid.

PROCESS FOR THE PREPARATION OF LIPOSOME

The present invention relates to a process for the preparation of a liposome.

A liposome is used in various fields such as foods or cosmetics as well as medicines. For example, the envelopment of a drug in a liposome brings about various effects such as the delivery of a drug to an application region in the body, the acceleration of the absorption of a drug, enhancement in the persistency of the effects of a drug, the stabilization of a drug or the like. Further, in the fields of cosmetics, a humectant is enveloped in a liposome to thereby enable the percutaneous absorption thereof or an unstable component is stabilized by utilizing a liposome.

Many processes for the preparation of a liposome have been known, among which ultrasonic treatment method (thin film method), injection method or surfactant-treatment method is mainly used.

The ultrasonic treatment method comprises adding an aqueous solution to a thin phospholipid film, mechanically vibrating the obtained mixture with a vortex mixer or the like to obtain a multilamellar liposome (MLV) and subjecting the MLV to ultrasonic treatment with a sonicator at a temperature higher than the phase transition temperature (Tc) to obtain a small single compartment liposome (SUV).

The injection method comprises injecting a solution of phospholipid in ethanol into an aqueous solution by the use of a microsyringe under vigorous stirring to prepare a SUV.

The surfactant-treatment method comprises dissolving phospholipid in an aqueous solution of sodium cholate and subjecting the obtained solution to gel filtration or dialysis to remove the sodium cholate. This method is thought to mainly give a large single compartment liposome (LUV).

However, these methods are not suitable for the mass-production, thus being not practical.

Namely, the vortex method or the ultrasonic method requires the preformation of a dry thin phospholipid film, so that the area of the film is small for the volume of the device. Thus, these methods are very unsuitable for the industrial mass-production of a liposome.

The ethanol injection method is advantageous in that the operation is relatively easy and that the enlargement in the scale is possible to a certain extent, but is disadvantageous in that the ethanol can not be removed completely, so that no uniform liposomes can be formed and the ethanol remains in the final formation and that the extent of envelopment is low. Further, the surfactant-treatment method is disadvantageous in that the removal of sodium cholate is troublesome and that the preparation thereof is difficult in the presence of an acid or heavy metal salt, because the cholate is an anionic surfactant.

Consequently, a process for the preparation of a liposome which does not require any complicated device and can afford a fine liposome in a high productivity for a short time has long been desired.

It has now been surprisingly found that a minute liposome can be easily prepared by using both phospholipid and a hydrophilic nonionic surfactant. The present invention has been accomplished on the basis of this finding.

The present invention provides a process for the preparation of a liposome, which comprises mixing water, preferably concurrently, with both a phospholipid and a hydrophilic nonionic surfactant. The fact that a liposome having a small particle size can be easily formed by utilizing a hydrophilic nonionic surfactant is a surprise, because a nonionic surfactant was previously thought to destroy a liposome.

The hydrophilic nonionic surfactant to be used in the present invention is preferably soluble in water completely. Therefore it is preferred that the nonionic surfactant used has a hydrophile lipophile balance - (HLB) of 12 or above. Preferred examples of the nonionic surfactant include polyoxyethylene alkyl ethers, polyoxyethylene fatty acid esters, polyoxyethylene hydrogenated castor oil, polyoxyethylene vegetable oil, polyoxyethylene glycerin fatty acid esters, polyoxyethylene sorbitol (sorbitan) fatty acid esters, sucrose fatty acid esters, polyoxyethylene glycol ether and polyoxypropylene glycol ether.

Examples of the phospholipid to be used in the present invention include animal and vegetable lecithins such as egg yolk lecithin and soybean lecithin and purified and hydrogenated derivatives thereof.

45

Further, a dispersing agent such as polyhydric alcohol, organic or inorganic salt or water-soluble polymer may be used when dispersing phospholipid and a hydrophilic nonionic surfactant into water.

Furthermore, a liposome stabilizer such as cholesterol, soybean oil, castor oil, arginine, casein, glycerin monostearate or glycerin distearate can be also used.

The amount of the hydrophilic surfactant used is preferably 1 to 15% by weight based on the weight of the phospholipid used. If it exceeds 15% by weight, the formed liposome may be destroyed. When it is desired to envelope any desired component such as a drug in a liposome, the required amount of the desired component may be present during the formation of the liposome in the manner of the present invention or may be added after the formation of the liposome, the former being preferred.

When the desired component is a water-soluble one, a W/O emulsion containing the desired component in the inner aqueous phase thereof may be formed, followed by the addition of phospholipid and a nonionic surfactant to obtain a liposome containing the W/O emulsion. Thus a liposome containing various components such as drugs can be prepared.

According to the present invention, a minute liposome having a particle size of 0.1 to 0.3 micron, can be obtained by using a small amount of a hydrophilic nonionic surfactant. Further, a liposome can be prepared in a high productivity for a short time with an ordinary device without the use of a sonicator or the like, so that the cost of the preparation thereof is reduced to thereby enable the use of liposome in more fields.

Now, the present invention will be further described by referring to the following Examples, though it is not limited by them.

Example 1

5

10

A mixture having a formulation which will be described below was homogeneously dissolved and spraydried to remove the hexane, thus obtaining a powdery sample. 5 g of this sample was added to 100 cc of water. The obtained mixture was stirred by the use of a homomixer at a speed of 8000 rpm for one minute to obtain a liposome liquid.

The obtained liposome had an average particle size of 0.2 micron and was stable. Formulation:

25

30

35

20

purified soybean lecithin	8	ç
cholesterol	2	
soybean oil	. 1	•
tocopherol hexane	1 50	
octaethylene glycol dodecyl ether	1	

40

Example 2

A mixture having a formulation which will be described below was stirred under heating to obtain a homogeneous solution. 100 g of warm water was added to the obtained solution at 80°C while stirring the solution at a speed of 5000 rpm. The obtained mixture was rapidly cooled to obtain a liposome. This liposome was a minute particle having an average size of 0.3 micron and was stable.

Formulation:

50

purified hydrogenated soybean lecithin	8 g
glycerin distearate	2
Y-linolenic acid	3
octaethylene glycol dodecyl ether	1.0

Example 3

10

15

20

A mixture comprising the components 1 of the formulation which will be described below was heated to obtain a homogeneous solution. The component 2 was added to the obtained solution under stirring to prepare a W/O emulsion. This emulsion was added to 10 g of a 10% aqueous solution of polyethylene hardened castor oil (HCO-60; a product of Nikko Chemicals Co., Ltd.) under stirring. The obtained liposome was a stable and minute particle having an average size of 0.2 micron:

Formulation:

(purified egg yolk led	cithin	8 g
① }	glycerin distearate		2
	γ-linolenic acid		5
2	purified water		5

Example 4

Formulation:

purified hydrolecithin	ogenated s	oybean	4 g
HCO-60 (polyocastor	xyethylene oil)	hydrogena	ited 0.4
vitamin E			1
water			94.6

The above components were homogeneously dispersed and subjected to ultrasonic treatment at 80° C for about 10 minutes. The obtained liposome was a stable and minute particle having an average size of 0.15 μ m.

Example 5

50

purified soybean lecithin	2 g
① Decaglyn 1-L (decaglyceryl monolaurate)	·. / 0.4
vitamin A	0.1
ethanol	5
② water	92.5

The components 1 were dissolved by stirring to obtain a solution. This solution was injected into the component 2 with a syringe. The obtained liposome was stable and had an average particle size of 0.2 µm.

Example 6

20

35

40

Formulation:

25

purified hydrogenated soybean lecithin	10 g
HCO-60	0.5
vitamin A	. 1
heptane	5.0

The above components were stirred under heating to obtain a homogeneous solution. The obtained solution was spray-dried to remove the heptane, thus giving a powdery sample.

2 g of this sample was added to 100 g of a 20% aqueous solution of ethanol. The obtained mixture was subjected to ultrasonic treatment at 65°C for about 5 minutes to obtain a stable liposome having an average particle size of $0.1~\mu m$.

Example 7

Formulation:

purified hydrogenated egg yo lecithin	lk	7 g
HCO-60		0.5
 cholesterol		2
dicetyl phosphate		1
Y-linolenic acid		2
toluene	ε'	50

The above components were stirred under heating to obtain a homogeneous solution. The obtained solution was spray-dried to remove the toluene, thus obtaining a powdery sample.

5 g of this sample was added to 100 cc of water. The obtained mixture was heated and stirred with a homomixer (8000 rpm) at 70°C for 5 minutes to obtain a stable liposome having an average particle size of 0.3 μm.

Example 8

30

35

Formulation:

purified soybean lecithin	_, 5 · g
MYS-40 (polyoxyethylene stearate)	0,.5
casein	0.5
vitamin E	1
chloroform	100

The above components were homogeneously dissolved and heated in an evaporator to remove the chloroform, thus obtaining a transparent thin film.

200 cc of water was added to this film. The obtained mixture was stirred with a homomixer (8000 rpm) for 5 minutes to obtain a stable liposome having an average particle size of 0.2 μ m.

Example 9

Formulation:

55

purified hydrogena lecithin	ted soybean 4 g
pluronic (polyoxyethylene po pylene glycol ether	0.4 plyoxypro- r)
soybean oil	4
water	91.6

The above components were stirred under heating and further stirred with a homomixer (8000 rpm) at 80°C for 10 minutes to obtain a stable liposome having an average particle size of 0.3 µm.

Example 10

15

-20

25

30

35

50

55

Formulation:

1	∫ cholesterol	:	3 9
	soybean oil	٠.	10
<u>a</u>	∫ sodium salicylate		2
	water		85

The above components 1 were homogeneously dissolved to obtain a solution. The above components 2 were added to the solution under stirring to prepare a W/O emulsion. A mixture having the undermentioned formulation containing this W/O emulsion was heated to 70°C under stirring and stirred with a homomixer - (8000 rpm) for 10 minutes to obtain a stable liposome having an average particle size of 0.2 µm.

Formulation:

purified hydrolecithin	ogenated soybean	5 g
HCO-60		0.5
vitamin A		0.1
W/O emulsion		10
water		84.4

Example 11

	diglyceryl monooleate	4 g
<u></u>	purified soybean lecithin	1
5	glycerin	4 -
	squalane	10
10 (2)	dipotassium glycyrrhizate	0.2
	water	80.8

The above components 1 were homogeneously dispersed to obtain a dispersion. The components 2 were added to the dispersion under stirring to prepare a W/O emulsion. A mixture having the undermentioned formulation containing the W/O emulsion was heated to 70°C under stirring and treated in an ultrasonic homogenizer for 5 minutes to obtain a stable liposome having an average particle size of 0.1 μm. Formulation:

20	hydrogenated soybean lecithin	5 c
	Decaglyn 1-M (decaglyceryl monomyristate)	1
25	vitamin E	1
	W/O emulsion	10
3 <i>0</i>	water	83

Example 12

Formulation:

	purified egg yolk lecithin	2 g
	HCO-50 (polyoxyethylene hydrogenated	0.2
	methionine castor oil)	0.2
1.	vitamin D ₃	0.02
	water	97.58

The above components were mixed under heating and stirred with a colloid mill at 70°C to prepare a liposome. The obtained liposome was stable and had an average particle size of 0.15 µm.

Example 13

purified hydrogenated lecithin	soybean	3 g
BC-15 (polyoxyethylene	cetyl ether)	0.2
arginine		0.3
Y -linolenic acid		2
water		94.5

The above components were mixed under heating and treated in a homogenizer at 70° C to prepare a liposome. This liposome was stable and had an average particle size of $0.2~\mu m$.

Example 14

Formulation:

20

30

35

10

purified hydrogenated egg yolk lecithin	10 g
octaethylene glycol dodecyl ether	1
castor oil	1
indomethacin or indometacin	2
heptane	50

The above components were stirred under heating to obtain a homogeneous solution. The heptane was removed from the obtained solution by spontaneous drying to obtain an aggregate. This aggregate was pulverized into a powder. 100 cc of water was added to 5 g of this powder. The obtained mixture was stirred with a homomixer (8000 rpm) at 80°C for 10 minutes to obtain a stable liposome having an average particle size of 0.2 μm.

Example 15

5 <i>0</i>	purified hydrogenated soybean lecithin	5 g
	Decaglyn 1-S (decaglyceryl monostearate)	0.5
55	glycerin distearate	0.5
	glycerin	10

The above components were dissolved by heating to prepare a solution. 200 cc of water was added to the solution. The obtained mixture was stirred with a homomixer (8000 rpm) at 80°C for 10 minutes to obtain a stable liposome having an average particle size of 0.2 µm.

Example 16

Formulation:

10	dipalmitoyl phophatidyl cho	oline 5 g
	HCO-60	0.7
15	phytosterol	0.5
	ubidecarenone	1
*	hexane	.50

The above components were homogeneously dissolved and spray-dried to remove the hexane, thus obtaining a powdery sample.

100 cc of water was added to 5 g of this sample. The obtained mixture was subjected to ultrasonic treatment at 60°C for about 5 minutes to obtain a stable liposome having an average particle size of about 0.1 μm.

Example 17

Formulation:

purified hydrogenated soybean lecithin	4 g
<pre>decaglyn 1-0 (decaglyceryl monooleate)</pre>	0.6
MGS (glycerin monostearate)	0.4
vitamin E	1 ,
water	94

The above components were heated to 80°C under stirring and stirred with a homomixer (8000 rpm) for 10 minutes to obtain a stable liposome having an average particle size of 0.2 μm.

Claims

- 1. A process for the preparation of a liposome which comprises mixing water with both a phospholipid and a hydrophilic non-ionic surfactant.
- 2. A process as claimed in claim 1 in which the water is concurrently mixed with the phodpholipid and the surfactant.
- 3. A process as claimed in claims 1 or 2 in which a powder comprising both a phospholipid and the surfactant is dispersed in water.

- 4. A process as claimed in claim 1 or 2 in which a homogenous liquid containing both the phospholipid and the surfactant is dispersed in water.
- 5. A process as claimed in claim 1 or 2, in which an aqueous solution of the surfactant is mixed with a preformed water in oil emulsion containing the phospholipid in the oily phase.
- 6. A process as claimed in any of the preceding claims in which the mixture or dispersion so formed is subjected to high speed mechanical agitation.
- 7. A process as claimed in any of the preceding claims in which a stabilizer for the liposome is also added.
- 8. A process as claimed in any of the preceding claims in which the mixing of the water with the phospholipid and the surfactant is effected in the presence of a dispersing agent.
- 9. A process as claimed in any of the preceding claims in which 1 to 15% by weight of the surfactant based on the weight of phospholipid is used.
- 10. A process as claimed in any of the preceding claims in which the phospholipid is a hydrogenated phospholipid.
- 11. A process as claimed in any of the preceding claims in which a desired component to be enveloped by the lyposome is present during the formation of the lyposome.
 - 12. A process as claimed in claim 11 in which the desired component is a drug.

20

25

30

35

40

1- BÁSIC COC.-

A6149730L

Office européen des brevets

Publication number:

0 220 797

A:

(2)

EUROPEAN PATENT APPLICATION

(1) Application number: 86305780.8

(1) Int. Cl.4 A61K 9/50 , B01J 13/02

② Date of filing: 28.07.86

Priority: 21.10.85 JP 234779/85

Date of publication of application: 06.05.87 Bulletin 87/19

Designated Contracting States:
CH DE FR GB IT LI

Date of deferred publication of the search report: 04.11.87 Bulletin 87/45 Applicant: NIKKO CHEMICALS CO. LTD. 4-8, Nihonbashi-Bakurocho, 1-chome Chuo-Ku Tokyo(JP)

Applicant: NIHON SURFACTANT KOGYO K.K. 24-3, Hasune 3-chome Itabashi-ku Tokyo(JP)

22 Inventor: Matumoto, Koichi c/o Nikko
Chemicals Co. Ltd.
4-8, Nihonbashi-Bakurocho, 1-chome
Chuo-ku Tokyo(JP)
Inventor: Shinozaki, Kazuhiko
Nihon Surfactant Kogyo K.K. 24-3, Hasune
3-chome
Itabashi-ku Tokyo(JP)
Inventor: Tabata, Yujin
Nihon Surfactant Kogyo K.K. 24-3, Hasune
3-chome
Itabashi-ku Tokyo(JP)

72 Representative: Taylor, Phillip Kenneth et al W.P. THOMPSON & CO. Coopers Building Church Street
Liverpool L1 3AB(GB)

Process for the preparation of liposome.

(57) A process for the preparation of a liposome which comprises mixing water with both a phospholipid and a hydrophilic nonionic surfactant.

The water is preferably concurrently mixed with both the surfactant and the phospholipid. The phospholipid may be a hydrogenated phospholipid.

79

EP 0 220

Application number

EP 86 30 5780

	DOCUMENTS CONS			
Category	Citation of document wit of relev	h indication, where appropriate, ant passages	Relevant to claim	CLASSIFICATION OF THE APPLICATION (Int. Ct.4)
, Y	FR-A-2 472 384 * Page 2, lines example 2 *	(B.G. GOEMINNE) 23-40; page 3,	1-12	A 61 K 9/50 B 01 J 13/02
		•	·	
	EP-A-O 158 441 (PHARMACEUTICAL RE	PHARES SEARCH N.V.) 10-14,24-36; page	1-12	
	5, lines 22-25; p page 9, line 6	page 8, line 25 - b; page 10, lines		
	2-22; page 14, li	nes 7-15 *		
κ	 EP-A-O 140 085 (WILL CALIA		*
	PHARMACEUTICAL CO). LTD)	1-12	
	* Page 2, lines line 35 - page 4.	5-30; page 2, line 3; page 8,		
	lines 1-16; pag 4,5; claims 1,3 *	ge 10, examples		
				TECHNICAL FIELDS SEARCHED (Int. CI.4)
	PATENT ABSTRACTS 8, no. 241 (C-250 November 1984; & (MIDORI JUJI K.K.)[1678], 6th JP-A-59 122 423	1	A 61 K B 01 J
		- /-		
- 20				·
.				
			*	÷ ,
;				
	The present search report has be	en drawn up for all claims	-	
TI	Place of search HE HAGUE	Date of completion of the search 18-08-1987	FORR	Examiner STER W.K.
X : par	CATEGORY OF CITED DOCUM	MENTS T : theory or E : earlier pa	principle underl	lying the invention but published on, or
Y: par dod A: teci	ticularly relevant if taken alon ticularly relevant if c mbined wit cument of the same categ iry hnological background n-written disclosure primediate document	after the f h an ther D : documen L : documen	iling date t cited in the app t cited for other	plication

EPO Form 1503 03 62



Application number

86 30 5780

ategory		indication, where appropriate, it passages	Relevant to claim	CLASSIFICATION OF THE APPLICATION (Int. CI.4)
х				AFFEICATION (III. C.1-)
^	CHEMICAL ABSTRACT: 24, 13th December		1 ,	
	331, abstract no.			
	Columbus, Ohio, U			
	al.: "Studies on			•
	liposomes - a new			$(e_{ij}, e_{ij}, e_{$
	for antitumor dru			
**	Antitumor activity	y screening of		
:	polyphase liposom			n.
	others", & ZHONGC	AOYAO 1982,	1	
	13(4), 13-19			
	* Abstract *			. 8 8
	*			, · ,
A ·	US-A-4 536 324 (1	M FILTTMADA)	1, 10	0
	* Whole document		1-12	
	Whole document			, , , , , , , , , , , , , , , , , , , ,
			100	
Α	G. GREGORIADIS: "	Liposome	1-12	** 4
	Technology", vol.	1, Chapter		
	2, II, B, "Preparat	ion of		TECHNICAL FIELDS
	Liposomes", 1984,	pages 19-27,		SEARCHED (Int. CI.4)
	CRS Press Inc., B		* * *	
	C.J. KIRBY et al.	: "A simple		*
	procedure for pre		*	
	liposomes capable encapsulation eff	of high		· · · · · · · · · · · · · · · · · · ·
	mild conditions"	iclency under		
	* Pages 20-22:	"preparation of	-)(-	
	liposomes" *	preparación or		
•				
		_	13.0	
			1	
		Santan		e .
* *			1	*
			,	
•				
			\dashv	
	The present search report has be	en drawn up for all claims		
	Place of search THE HAGUE	Date of completion of the search 18-08-1987		Examiner STER W.K.
	CATEGORY OF CITED DOCUM	JENTS : T : theory or	neinciple unde	rlying the invention

A: techn logical background
O: non-written discl sure
P: intermediate document

&: member of the same patent family, corresponding document